




technical specifications

ARCHITECTURE

available sizes _ formato disponibile: **600 x 600 x 10,5 mm**


available finishing _ finiture disponibili: **UNPOLISHED _ NATURALE**




dark ivory matt




beige matt




light brown matt



dark brown matt




warm grey matt




cool grey matt



light grey matt



medium grey matt



dark grey matt

HABITAT

available sizes _ formato disponibile: **600 x 600 x 10,5 mm**
 available finishing _ finiture disponibili: **UNPOLISHED _ NATURALE**



60DG




60CE



60G



60A



60N



60W

FACTORY
FINISHED PANELS

BARE
PANELS

SPECIAL
PANELS

technical
specifications

CERAMIC TILES _ GRÈS ÉMAILLÉ _ GRES PORCELLANATO

METEOR

available sizes _ formato disponibile: **600 x 600 x 10,5 mm**

available finishing _ finiture disponibili: **UNPOLISHED _ NATURALE / POLISHED _ LEVIGATA**



beige



brown



grigio



almond




perla




nero



india green



bianco



grafite




blu

METALWOOD

available sizes _ formato disponibile: **600 x 600 x 10,5 mm**
available finishing _ finiture disponibili: **UNPOLISHED _ NATURALE**



argento



bronzo



carbonio




iridio




piombo



platino



silicio



oro

CERAMIC TILES _ GRÈS ÉMAILLÉ _ GRES PORCELLANATO

MARTE - marble imitation _ MARTE - effetto marmorizzato

available sizes _ formato disponibile: **600 x 600 x 18 mm**

available finishing _ finiture disponibili: **POLISHED _ LEVIGATA**



acapulco black _ nero acapulco



moonlight _ raggio di luna



royal yellow _ giallo reale



soraya red _ rosso soraya



egean grey _ grigio egeo




bronzetto _ bronzetto



brasil pink _ rosa brasil



portugal pink _ rosa portogallo



ramora brown _ ramora brown



cream marfil _ crema marfil



palisander _ palissandro



botticino _ botticino


NATURAL STONE

MARBLE _ MARBRE _ MARMO

available sizes _ formato disponibile: **600 x 600 x 18 mm**
available finishing _ finiture disponibili: **POLISHED _ LEVIGATA**




carrara white _ bianco carrara



botticino semi-classic _ botticino semiclassico



white perlino _ perlino bianco




verona red _ rosso verona



roman travertino _ travertino romano



istria yellow _ giallo istria



pietra serena _ pietra serena



guatemala green _ verde guatemala

Other types of marble available on request _ Altri tipi di marmo disponibili a richiesta

FACTORY
FINISHED PANELS

BARE
PANELS

SPECIAL
PANELS


technical
specifications

NATURAL STONE


GRANITE _ GRANITE _ GRANITO

available sizes _ formato disponibile: **600 x 600 x 17 mm**


available finishing _ finiture disponibili: **POLISHED _ LEVIGATA**



beta pink _ rosa beta




sardo white _ bianco sardo



porrino pink _ rosa porrino



impala black _ nero impala




serizzo antigorio _ serizzo antigorio



baltic brown _ bruno baltico



marine green _ verde marina



macauba azul _ azul macauba



platinum azul _ azul platino

Other types of granites available on request _ Altri tipi di granito disponibili a richiesta

BAMBOO _ BAMBOU _ BAMBÚ

available sizes _ formato disponibile: **600 x 600 mm**
 standard thickness _ spessore standard: **5 mm**



oak bamboo _ rovere bamboo



ash bamboo _ frassino bamboo

**strong,
 environment-friendly,
 and extremely stable**

Strong, environment-friendly, and extremely stable. The addition of a bamboo finish to CBI Europe's raised access floor range offers a greener, alternative floor surface. The introduction of bamboo is tangible proof of CBI Europe's commitment to protecting the environment. Bamboo is not only extremely strong but is the world's fastest growing plant (it can grow up to a metre a day in tropical regions). Use of bamboo therefore makes a major contribution to reducing the problem of deforestation. Often referred to as "natural steel", bamboo is cool to the touch in the summer and warm in the winter.

**résistant,
 écologiquement compatible,
 hautement stable**

Résistant, écologiquement compatible et hautement stable. L'introduction de la finition en bambou dans la gamme Raised Access Floors représente le choix écologique et alternatif de CBI, fruit d'un engagement concret à l'avantage de l'environnement: le bambou est une plante très résistante et avec la croissance la plus rapide au monde - 1 mètre par jour dans les régions tropicales; un facteur qui, en fait, réduit le problème de la déforestation. Également appelé «acier naturel», il est frais en été et chaud en hiver.

**resistente
 ecocompatibile
 altamente stabile**

Resistente, ecocompatibile ed altamente stabile. L'inserimento della finitura in bambù all'interno della gamma Raised Access Floors rappresenta la scelta verde ed alternativa di CBI, frutto di un concreto impegno a vantaggio dell'ambiente: il bambù è una pianta molto resistente e con la crescita più rapida al mondo - 1 metro al giorno nelle regioni tropicali, fattore che riduce di fatto il problema delle deforestazioni. Denominato anche "acciaio naturale", risulta fresco d'estate e caldo d'inverno.

SOLID WOOD PARQUET

ESSENCES _ ESSENCES _ ESSENZE

available sizes _ formato disponibile: **600 x 600 mm**

standard thickness _ spessore standard: **4 mm (other thickness on request _ altri spessori a richiesta)**



iroko _ iroko



oak _ rovere




doussié africa _ africa doussié




beech _ faggio



ash _ frassino



afromosia _ afromosia




teak _ teak



europe cherry _ ciliegio europa



walnut _ noce



europe maple _ acero europa



wengé _ wengé



american cherry _ ciliegio americano

Other types of solid wood parquet available on request _ Altri tipi di parquet disponibili a richiesta

SOLID WOOD PARQUET



PARQUET DESIGN _ DESIGN PARQUET

available sizes _ formato disponibile: **600 x 600 mm**

standard thickness _ spessore standard: **4 mm (other thickness on request _ altri spessori a richiesta)**




quarterdeck
cassero




main deck
tolda di nave



mosaic
mosaico



friuli
friuli



Other types of solid wood parquet available on request _ Altri tipi di parquet disponibili a richiesta

LINOLEUM

LINOLEUM _ LINOLÉUM _ LINOLEUM


available sizes _ formato disponibile: 600 x 600 x 2,0 / 2,5 / 3,2 mm



amber



applegreen



begonia



camel



charcoal




coral



corn



durango



granata



graphite




grass




hyacinth



mint



navy



ocean



pale pink



pebble




salmon



silk



storm




terracotta



tiger eye



travertine



white



willow green

The linoleum tiles used from CBI Europe are all original Tarkett _ I linoleum utilizzati da CBI Europe sono tutti originali Tarkett
Other types of linoleum, available on request _ Altri tipi di linoleum disponibili a richiesta

ANTISTATIC HPL _ HPL ANTISTATIQUE _ LAMINATO ANTISTATICO

available sizes _ formato disponibile: **600 x 600 mm**


standard thickness _ spessore standard: **0,9 mm (other thickness on request _ altri spessori a richiesta)**



577 grey _ grigio



576 ivory _ avorio



619 larch _ larice



1666 beech _ faggio



1329 doussié _ doussié



1611 maple _ acero



650 oak texas _ rovere texas



640 maple grey _ acero grigio



2810 cement _ cemento

Other types of antistatic HPL available on request _ Altri tipi di laminato antistatico disponibili a richiesta

The standard coverings used are all original Abet Walkprint finishing type SEI. _ I rivestimenti standard utilizzati sono tutti originali Abet Walkprint finitura SEI.

FACTORY
FINISHED PANELS

BARE
PANELS

SPECIAL
PANELS

technical
specifications

ANTISTATIC PVC

ANTISTATIC PVC _ PVC ANTISTATIQUE _ PVC ANTISTATICO

available sizes _ formato disponibile: **600 x 600 x 2,0 mm**



107 beige



106 blue



306 green



108 medium grey



304 light grey

Other types of antistatic pvc parquet available on request _ Altri tipi di pvc antistatico disponibili a richiesta

STATIC-DISSIPATIVE FLOORING

MIPOLAM ROBUST EL7

available sizes _ formato disponibile: 600 x 600 x 2,0 mm



0002 platinum



0003 ivory



0005 steel



0013 pewter



0112 storm



0306 green

FACTORY
FINISHED PANELS

BARE
PANELS

SPECIAL
PANELS


technical
specifications

CONDUCTIVE PVC


MIPOLAM TECHNIC EL5

available sizes _ formato disponibile: **600 x 600 mm**


standard thickness _ spessore standard: **0,9 mm** (other thickness on request _ altri spessori a richiesta)




0635 white




0636 grey




0637 light blue



0638 blue



0639 green



0640 beige



TYPES OF PANEL

TYPES DE PANNEAUX _ TIPOLOGIE DI PANNELLO

FACTORY FINISHED PANELS

WOODCORE PANELS

panneaux en aggloméré de bois
pannelli in conglomerato ligneo



GRAVITY LAY

alufoil backing

feuille alu _ lamina di alluminio

PT30 - PT38

PT38C

GRAVITY LAY

galvanized steel dish

bac acier galvanisée à chaud
vaschetta di acciaio zincato

PT28V

PT30V

PT38V

CALCIUM SULPHATE PANELS

panneaux en sulfate de calcium
pannelli in solfato di calcio



GRAVITY LAY

alufoil backing

feuille alu _ lamina di alluminio

SC30 - SC34 -

SC36 - SC30C

GRAVITY LAY

galvanized steel dish

bac acier galvanisée à chaud
vaschetta di acciaio zincato

SC30V - SC33V -

SC36V

SC30VHD - SC34VHD

SC36VHD

BARE PANELS

WOODCORE PANELS

panneaux en aggloméré de bois
pannelli in conglomerato ligneo



GRAVITY LAY

semi-encapsulated steel panels

panneaux semi-encapsulées en acier
semi-incapsulato in acciaio

CBI28T

GRAVITY LAY

fully steel encapsulated

encapsulée en acier _ incapsulato in acciaio

CBL1 - CBM -

CBH

CORNER LOCK

fully steel encapsulated

encapsulée en acier _ incapsulato in acciaio

CBL1 corner lock

CBL corner lock

CBH corner lock

ANGLE LOCK

fully steel encapsulated

encapsulée en acier _ incapsulato in acciaio

CBL1 angle lock

CBH angle lock

CALCIUM SULPHATE PANELS

panneaux en sulfate de calcium
pannelli in solfato di calcio



GRAVITY LAY

semi-encapsulated steel panels

panneaux semi-encapsulées en acier
semi-incapsulato in acciaio

CBI28S

CBI31S

GRAVITY LAY

fully steel encapsulated

encapsulée en acier _ incapsulato in acciaio

CBL1/S - CBM/S

CBH/S

CORNER LOCK

fully steel encapsulated

encapsulée en acier _ incapsulato in acciaio

CBL1/S corner lock

ANGLE LOCK

fully steel encapsulated

encapsulée en acier _ incapsulato in acciaio

CBL1/S angle lock

TONGUE&GROOVE

tongue&groove

tongue&groove _ tongue&groove

PS34TG

PS36TG

galvanized steel dish

bac acier galvanisée à chaud
vaschetta di acciaio zincato

CBI30TG

CBI36TG

RAISED ACCESS FLOORS

TONGUE&GROOVE

 = 60 x 60 cm


TONGUE&GROOVE _ TONGUE&GROOVE _ TONGUE&GROOVE

› **Calcium sulphate high density** · sulfate de calcium à haute densité · solfato di calcio ad alta densità.

› **Covering:** PVC rubber, Linoleum, Carpet, Ceramic tiles, Marble, Granite, Parquet. › **Revêtement supérieur:** PVC, Linoleum, Moquette, Grès, Marbre, Granite, Parquet. › **Rivestimento superiore:** PVC, Linoleum, Moquette, Gres porcellanato, Marmo, Granito, Parquet.



H 30,5/36,5 mm



TECHNICAL SPECIFICATIONS

		CBI30TG	CBI36TG
thickness		30,5 mm	36,5 mm
	fire reaction UNI EN 13501-1	A1	A1
	fire resistance UNI EN 13501-2	REI 30	REI 30

TECHNICAL FEATURES UNI EN 12825

	center of panel - deflection 2,5 mm	4,7 kN	5,6 kN
	center of panel - ultimate load	9,7 kN	11,2 kN
	loading class	4	5
	center of panel - deflection 2,5 mm	4,8 kN	5,9 kN
	center of panel - ultimate load	9,8 kN	11,8 kN
	loading class	4	5
	center of panel - deflection 2,5 mm	5,2 kN	6,2 kN
	center of panel - ultimate load	10,7 kN	12,3 kN
	loading class	5	6